Gated Integrators and Boxcar Averagers

SR235 — Analog processor (2-channel)



Traunstraße 21, A-2120 Wolkersdorf T:+43 2245 6725 F:+43 2245 559633 office@prager-elektronik.at www.prager-elektronik.at

- - - E(x) OUTPUT

- · 36 functions
- Dual inputs
- · Post filtering and gain adjustment
- 2 % basic accuracy

• SR235 ... \$1500 (U.S. list)

SR235 Analog Processor

The SR235 Analog Processor provides a variety of convenient signal processing functions on one or two inputs. Background subtraction, ratioing and logarithmic compression are just a few of the functions which can be implemented with the SR235. With its many output functions, high accuracy, and variable filtering and gain, the SR235 is the perfect addition for any boxcar system—especially those in which a computer is unavailable to perform signal processing.

The SR235 outputs a voltage proportional to a function of an argument formed from its two inputs (A and B). Allowable arguments are: A, B, $\sqrt{(A^2 + B^2)}$, A – B, A × B / 10, and 10A / |B|. The functions that can be selected are: x, x^2 , \sqrt{x} , $\ln|x|$, -dx/dt, and -(dx/dt) / 100. Filtering can be performed on the argument with time constants from 0.3 ms to 30 s.

Ordering Information

Analog processor **SR235**

\$1500

SR235 Specifications

A and B inputs $1 \,\mathrm{M}\Omega$ input impedance, $\pm 10 \,\mathrm{V}$ range, protected to 100 V, <2 mV input offset

Argument (x)A, B, $\sqrt{(A^2+B^2)}$, A-B, A×B/10,

10A/|B|

Argument filter Time constant: 0.3 ms to 30 s (1-3-10

seq.) When OFF, argument is unfiltered. 0.1 to 20 in a 1-2-5 sequence Gain $x, x^2, \sqrt{x}, \ln|x|, -\frac{dx}{dt}, -\frac{(dx}{dt})/100$ F(x) output

-dx/dt to 10 Hz, -(dx/dt)/100 to 1 kHz, Frequency range $\sqrt{(A^2+B^2)}$ to 20 Hz, all others to 50 kHz Accuracy Gain, 2%; rms sum, 3%; difference,

1%; multiplication, 2% of full scale; division (denominator >0.1), 3% of full scale; $\ln |x|$, x^2 , \sqrt{x} acc. to $\pm 20 \,\mathrm{mV}$ (ref. to input or output, whichever is less); -dx/dt and -(dx/dt)/100, 5%

Power +24 V/120 mA, -24 V/80 mA, 5 WWarranty One year parts and labor on defects

in materials and workmanship



phone: (408)744-9040 www.thinkSRS.com